



(11) Publication number : **0 543 689 A1**

(12) **EUROPEAN PATENT APPLICATION**

(21) Application number : **92402905.1**

(51) Int. Cl.⁵ : **C14C 3/08, D06P 3/32,
C14C 3/20, C14C 3/10,
D06P 1/34**

(22) Date of filing : **26.10.92**

(30) Priority : **30.10.91 AR 321045**

(43) Date of publication of application :
26.05.93 Bulletin 93/21

(84) Designated Contracting States :
CH DE FR IT LI

(71) Applicant : **UNITAN S.A.I.C.A.
Paseo Colon 221
Buenos Aires 1399 (AR)**

(72) Inventor : **Lopez Mato, Ariel
Pedro Ignacio Rivera 3635
Buenos Aires 1430 (AR)**

(74) Representative : **Durand, Yves Armand Louis
et al
CABINET WEINSTEIN 20, Avenue de
Friedland
F-75008 Paris (FR)**

(54) **Compositions to simultaneously tan and dye hides and their production process.**

(57) The invention concerns compositions to simultaneously tan and dye hides, characterized by the fact that they contain at least one tanning compound able to form chromophore groups consisting of at least one member of the group including :

- natural pyrocatechic derivatives of quebracho, mimosa, acacia and their tannic acids ;
- natural pyrogalllic derivatives of tara, carob and their tannic acids ;
- naphthalene sulphononic acid condensed with formaldehyde ;
- naphthalene sulphononic acid ;
- phenolsulphononic acid ;
- phenolsulphononic acid condensed with formaldehyde ;
- gallic acid ;
- and at least one coupler able to develop with the chromophore groups of the compound tanning the final colour, this coupler belonging to the group including :
- triphenyl-methano-sulphononic acid ;
- aniline ;
- p-amino-aceto-aniline ;
- urea-1 acid ;
- p-amino-salicylic acid ;
- di-nitro-styrene-sulphononic acid ;
- p-sulphanilic acid ;
- p-nitro-aniline
- phenolsulphononic acid ;
- benzidine H ;
- benzaldehyde ;
- N,N dimethyl-aniline ;
- o-dianisidine Ch-CH.

EP 0 543 689 A1

The present invention involves compositions intended to simultaneously tan and dye hides and their production process.

Until a few years ago, tanners only had tanning extracts for certain specific colours, for example: campeach wood extracts which provide colours ranging from red to black; the campeach hematin contained in the same extract provides a wine dress red colour; the campeach nigrosine which produces a black colour; the chestnut (Castanea Vesca) which provides a brown colour verging on green; the pine and oak which provide a red colour; the taras which provide a grey colour; the tara hematins which provide a black colour; the gall which produces a light tan colour; and the cochineal which produces a red colour.

Until recently, sufficiently large quantities of different natural dyeing extracts were available on the market to satisfy the demand, such as the campeach extract mentioned above; the Brazil wood which contains brazilin, dyes purple and with chromium salts provides little resistant black colours; the yellow wood which contains an active morine agent colours tan to orange-brown.

These natural colours may be considered to be anionic posterior treatment products, forming lakes with metal salts. Other natural extracts were also frequently found on the market such as the carmine or cochineal already mentioned which dye red and the curcuma which dyes tan. The high demand which is impossible to satisfy, and the appearance of synthetic dyes has almost eliminated these products from the market. This obliged users to carry out research by combining tanning products from another source with the synthetic dyes.

As for the tanning techniques, they rely on the penetration of the tanning extracts mentioned above, in the hides and their subsequent fixation with organic acids or metal salts enabling the colour to cross the hides while obtaining treated surfaces on the finished leather.

The growth of the market, environmental protection, production costs and especially the small supplies of these products have resulted in the fact that current tanning techniques rely on combined systems of preliminary tanning and subsequent tanning. This results in high costs and the production of contaminants, in the residual bath as well as in the production of the dyes, whose use in a great many cases has been forbidden due to their carcinogenic, allergic or toxic effect.

It is therefore necessary to look for new ways to obtain the same results and reproduce what nature provides. Based on these premisses, according to the present invention, we obtained tanning-dyeing compositions using natural, recyclable, very abundant tanning agents with a heterogeneous or indefinite composition that have a non saturated molecular structure, that is, are electronically unstable, which have the function of the chromophore group.

These groups, found in the tannic bases mentioned below, are large and their molecular weight varies between 2,000 and 5,000, so that when combined with compounds containing auxochrome groups or "complexing" groups, they provide a series of compositions which is more extensive than that found in nature.

In this way, by adjusting the tinctorial power required to comply with the rules of the art of tanning and dyeing, and without altering the natural tanning conditions, we provide synthetic tanning agents which, in turn, can be advantageously compared, as regards price and quality, with already known products, enabling the unlimited supply of the tanning and dyeing market for hides.

This market currently uses natural pyrogallol or pyrocatechic extracts, whether modified or not, which tan by giving the finished leather its natural colour. The most common are derived from mimosa (light caramel colour), quebracho (reddish-brown colour), chestnut (greenish-brown colour), pine (red colour), oak (red colour) and tara (light tan colour).

These tanning products give leather their natural colour which does not sufficiently please the user, easily becomes oxidized and requires an anti-economic dyeing process when compared with chrome-aluminium tanning products which provide equivalent results with 75% less.

In addition, the possibilities to use and combine these known tanning products are minimal, while the chemical activity of their metal salts is very high, so that it is very difficult to control the production of spots for which much care must be taken.

However, the use of tanning-dyeing compositions in the present invention has the following advantages:

- a) Excellent penetration, simultaneous dyeing and tanning of the leather.
- b) Dyeing of the scars and natural defects in the leather.
- c) High level of colour.
- d) Colour intensity (tint) combined with a low consumption of synthetic dyes.
- e) Easier finishing and better quality without shades (snow).
- f) Low cost and increase in the range of articles without a change in equipment.
- g) Non contaminant and easy to use both as regards production and use.

The compositions to simultaneously tan and dye hides and obtain directly dyed leathers, the object of the present invention, includes at least one tanning compound, able to form chromophore groups, consisting of at least one member of the group formed by:

the natural pyrocatechic derivatives of quebracho, mimosa and acacia and their tannic acids;
 the natural pyrogalllic derivatives of tara, carob and their tannic acids;
 naphthalene sulphonic acid condensed with formaldehyde;
 naphthalene-1 sulphononic acid;
 5 phenolsulphonic acid;
 phenolsulphonic acid condensed with formaldehyde;
 gallic acid and at least one coupler able to provide the final colour with the chromophore groups of the
 tanning compound, belonging to the group formed by:
 triphenyl-methane-sulphonic acid;
 10 aniline;
 p-amine-aceto-aniline;
 urea-1 acid;
 p-amine-salicylic acid;
 di-nitro-styrene-sulphonic acid;
 15 p-sulphanilic acid;
 p-nitro-aniline;
 phenolsulphonic acid;
 benzidine H;
 benzaldehyde;
 20 N,N-dimethyl-aniline;
 o-dianisidine CH-CH.

while, in addition to these compositions, able to contain components providing the final touch and colour, oxidizing agents and auxiliary agents.

The tanning compounds described above are found, respectively, within the following percentage limits
 25 as regards weight:

Natural pyrocatechic derivatives of quebracho, mimosa, acacia and their tannic acids	40 to 95%
30 Natural pyrogalllic derivatives of tara, carob and their tannic acids	40 to 95%

35 Naphthalene sulphononic acid condensed with formaldehyde	3 to 19%
Naphthalene sulphononic acid	4 to 25%
Phenolsulphonic acid	10 to 15%
40 Phenolsulphonic acid condensed with formaldehyde	3 to 15%
Gallic acid	5 to 10%

45 As regards the coupling agents described above, they are respectively found within the following limits,
as a percentage and weight:

50

55

5

10

15

20

Triph nyl-methane-sulph nic acid	0.3 to 1.5%
Aniline	0.5 to 9%
P-amino-aceto-aniline	0.01 to 1.5%
urea-1 acid	3 to 9%
P-amine-salicylic acid	2 to 7%
Di-nitro-styrene-sulphonic acid	1 to 2%
P-sulphanilic acid	0.02 to 9%
P-nitro-aniline	0.2 to 10%
Phenolsulphonic acid	0.01 to 8%
Benzidine H	0.3 to 6%
Benzaldehyde	1 to 7%
N,N-dimethylaniline	1 to 11%
o-dianisidine CH-CH	0.5 to 4%

25

As regards the components providing the final touch, they may be chosen from the group formed by the compounds indicated below. These compounds are present, if necessary, within the following percentage limits:

30

35

Trinitril-penta-acetate of aluminium, copper, iron and/or zinc	0.01 to 2%
Ethylenediamine-tetracetic acid and its iron, copper and aluminium salts	0.07 to 2%
Double oxalate of titanium and potassium	1 to 7%
Sulphates of aluminum, iron and copper	1 to 6%
Diethylenetriamine-pentacetate of zinc or aluminium	0.01 to 3%

40

45

50

Orange II	0.01 to 0.3%
Bismarck brown	0.1 to 0.5%
EW black (Direct black 38)	0.5 to 3%
Victoria blue (Direct blue 12)	0.01 to 3%
R red (Acid red 85)	0.5 to 1%
Auramine	0.02 to 0.2%
Malachite green	0.02 to 0.2%

As regards the oxidizing agents that may possibly be found in the compositions in the invention, it is necessary to indicate that the latter are chosen from the group mentioned below and that those present are within the percentage weights indicated:

55

potassium perchlorate	0.02 to 5%
potassium chlorat	0.08 to 2%
hydrogen peroxide	1 to 6%
chlorate of soda	0.02 to 5%

With reference to the auxilliary compounds which form the optional compounds of the compositions in the present invention, they are chosen from the group indicated below and are respectively found within the following percentage limits:

sodium phosphates and polyphosphates	1 to 5%
bichromate of sodium or potassium dichromate	3 to 5%
oxalic acid	1 to 2%
double oxalate of titanium and potassium	0.3 to 1%
potassium acetate	5 to 20%
triethanolamine	1 to 3%
sodium acetate	5 to 20%
sodium bisulphite	1 to 15%
sodium sulphite	1 to 3%
sodium hydroxide	2 to 6%
potassium hydroxide	2 to 6%
potassium hydroxide	3 to 7%
picric acid	0.5 to 3%
beta-naphthol	1 to 6%
zinc sulphate	0.2 to 2%
iron (III) chloride	3 to 15%
ferrous acetate	3 to 5%
formaldehyde	3 to 9%
sodium nitrite	1 to 5%
sodium acid sulphate	5 to 30%
boric acid	2 to 3%
hydrochloric acid	2 to 5%

The different compounds and their percentage in weight are chosen so that the sum of the weight percentages in which all of the compounds in the composition are present is equal to 100%.

The compositions to simultaneously tan and dye hides, in accordance with the present invention, may be produced according to the process consisting of treating an aqueous solution of a tanning compound belonging to the group indicated above, with derivatives of naphthalene sulphonic acid whether condensed with formaldehyde or not; adding substances which include nitro, azo, nitrous, azoxy, carbonic and/or quinoid groups in their molecule; oxidizing these groups, if necessary, by incorporating air under pressure; coupling the chromophore base obtained by means of the addition of at least one of the couplers mentioned above; incorporating, if necessary, the auxochrome, carboxyl, hydroxy and amino auxilliary compounds; solubilizing the tanning-dyeing extract obtained by sulphitation with sodium sulphite, sodium bisulfite and/or sulphuric acid; con-

concentrating the product obtained until there are approximately 50% solids; graduating, if necessary, with complex metal salts and/or dyes; standardizing and drying the final composition obtained.

The aqueous solution of the tanning compound is 6° B é , and was cooled to a temperature of not more than 5° C while the substances containing the nitro, azo, nitrous, azoxy, carbonic and/or quinoid groups in their molecule, are added at atmospheric pressure.

As regards the coupling of the chromophore base obtained with at least one of the couplers mentioned above, this occurs at a temperature of 10° to 15°C. The concentration of the product obtained, following the optional addition of auxochrome, carboxyl, hydroxy and amine auxiliary compounds, and the solubilization of the tanning-dyeing extract by sulphitation with sodium sulphite, sodium bisulphite and/or sulphuric acid, is carried out in a vacuum and at a temperature of 10 °C.

The final drying of the composition obtained is carried out by passage through a drying chamber and spraying, at an admission temperature of 220 °C and an outlet temperature of 90° to 95°C.

The final product has the following approximate composition:

Tannins	50 to 69%
Non tannins	21 to 30%
Insolubles	0.0 to 2.3%
Ashes	5.5 to 10%
Water	6.0 to 6.5%
pH at 10%	5.6

The compositions provide leathers dyed tan, orange, brown, red, blue, green and black. It should be noted that subsequent oxidation is generally not required in order to obtain green, red and blue colours.

PREPARATION EXAMPLES

Transfer 20,000 kg of pyrocatectic extract at 6° B é (approximately 2,500 kg of solids) to a reactor and cool at 5 °C. Add 80 to 150 kg of naphthalene sulphononic acid which is condensed or not condensed with formaldehyde. Stir for 2 hours and then add 28 kg of sodium nitrite. Again stir for 30 minutes and add 100 to 150 kg of hydrochloric acid. Stir for 1 hour.

A base (Base A) is thereby prepared. It is used to obtain the following colours by adding the substances indicated and following the method recommended below:

1) Brown verging on red: Add 3 to 5% potassium dichromate and 0.7% aniline to Base A. Allow to react for 2 hours. Concentrate and rectify the colour with 0.2% ferric ethylenediamine-tetracetate and 0.2% copper ethylenediaminetetracetate and 1.3% copper (II) sulphate also using 0.2% Bismarck brown dye. The rectification of the colour provides the whole range from brown to dark brown.

2) Orange: Add 2% aniline and 3% potassium dichromate to Base A. Allow to react for 1 hour and then add 0.3 to 0.8% titanium potassium oxalate and allow to react for one hour. Then correct. The colour is provided by 0.3% Orange II and fix with 0.5% picric acid.

3) Tan: Add 0.5% aniline and 0.6% p-nitro-aniline to Base A. Concentrate and provide the colour with 0.10% auramine. Also add 0.1% aluminous diethylenetriaminepentacetate and 1.2% aluminium sulphate. Bring to the adequate pH with 3% phenosulphonic acid condensed with formaldehyde.

4) Red: Add 1% oxalic acid and 5% potassium acetate to Base A. Allow to react for 20 minutes and then add 4% triphenyl-methane-sulphonic acid, 0.9% p-amine-acetate aniline and 1% dinitro-styrene-sulphonic acid. Allow to react for 2 hours and then graduate with 0.5% R Red (Acid Red 85) and acidify with 2% boric acid.

5) Blue: Add 0.3 to 0.5% zinc sulphate, 1.6 to 2.5% benzidine H, 3% formaldehyde, 2% boric acid and 1.4% o-dianisidine CH-CH to Base A. Provide the colour with 0.02% Victoria blue (Direct Blue 12).

6) Green: Incorporate 0.2% p-nitro-aniline, 1 to 4% benzaldehyde, 1 to 4% N,N-dimethyl-aniline and 0.2% cupreous ethylenediamine-tetraacetate to Base A. Provide the colour with 0.04% Malachite Green.

7) Black: Take 20,000 kg of pyroacehic tannic solution at 6° B é and add 0.5 to 1% phenolsulphonic acid which has been condensed or not condensed with formaldehyde, 2% beta-naphthol and allow to react for 60 minutes. Then add 3% potassium dichromate and allow to react for 20 minutes. Add 1.3% aniline and allow to react for 60 minutes. Finally incorporate 30 to 50% natural pyrogallol derivatives and 5% gallic acid

and allow to react for 2 hours. Concentrate and provide the colour with 0.1 to 2% cupreous ethyldiamine-tetraacetate and 0.1 to 2% ferric ethyldiamine-tetraacetate and allow to react for 1 hour. Then incorporate 3% hydrogen peroxide (200 vol.) and allow to react for 2 hours. Acidify with 3% ferric acetate and provide the colour with 0.5% EW Black (Direct Black 38).

5 Another set of compositions is obtained as follows according to the invention:

Add 7% condensed naphthalene sulphonic acid to 16,000 kg of pyrocechic tannic solution. Stir for 30 minutes and add 10 to 25% sodium acid sulphate. Control the total solubility and dry. This provides a compound called Base B.

10 In addition to its use in the preparation of synthetic extracts used in dyeing, this base also has a fixing power on other tanning products, either at the end of traditional tanning or for light tan colours.

8) Light tan: Incorporate 1 to 5% double oxalate of titanium and potassium and 0.3% aluminous ethylenediaminetetraacetate with Base B. Homogenize for 2 or 3 hours. Add 4% urea-1 acid. Shake for 2 hours and provide the colour with 0.2% Bismarck Brown. Neutralize with ammonium hydroxide until pH 7.

15 9) Dark tan: Add 2.5% p-amino-salicylic acid and 12% phenolsulphonic acid to Base B while maintaining the temperature below 5 °C. Add 2 to 5% p-nitro-aniline and 0.1% to 0.3% p-amino-aceto aniline. Couple. Add 5% potassium acetate until pH 5 and then 3% sodium sulphite and 3% sodium bisulphite until total dissolution.

20 10) Light grey: Add 3 to 7% iron (III) chloride and 0.1 to 0.5% cuprous trinitrile-pentaacetate to Base B. After the reaction, maintain the temperature at 5 °C. Add 0.5% o-dianisidine CH-CH and 10 to 15% gallic acid. Finally, provide the colour with 0.5% EW Black and 0.04% Victoria Blue. Bring the pH to 5.5 with triethanolamine and/or potassium and/or sodium hydroxide.

25 11) Dark grey: Add 3% natural carob and/or tara pyrogallal derivatives to Base B. Once homogenized, oxidize with potassium perchlorate (0.3 to 0.6%) and the same quantity of sodium chlorate. Add 1% p-sulphanilic acid. Stir for 30 minutes and add 2% benzaldehyde. Then add between 7 and 10% iron (III) chloride. Allow to react at 5°C and then add p-sulphanilic acid (between 0.3 and 0.9%) or 0.3 to 1.3% phenolsulphonic acid according to the colour desired. Five hours later, complete the oxidation with 200 vol. hydrogen peroxide (up to 3%) or 1 to 2% potassium chlorate. Adjust the final pH between 5 and 5.2 with iron (II) sulphate and/or zinc sulphate according to the colour desired. Rectify the solubility with 3 to 5% sodium polyphosphates.

30 Following are several examples of applications of the compositions involved in the present invention to obtain the different types of dyed leathers.

A - Vegetable Tanning for Chair Leather

35 Begin with 22 kg of leathers salted to a maximum, that are soaked for one hour in a bath containing:

Cold water	150%
Nonylphenol condensed with 10 moles of ethylene oxide	0.2%
40 Sodium polysulphide	1%

Stop soaking for 1 hour. Stir for 15 minutes per hour 3 times and then stir for 30 minutes.

Then remove the hair in the rammer by treating the hides with a solution consisting of:

45 Water at 27 °C	70%
60% sodium sulphide	1.5%

50 Allow to react for 30 minutes and then add 1.5% lime. Stir for 15 minutes and allow to rest for 30 minutes. Then add 80% water at 27 °C and 1.5% lime. Allow to rest for 15 minutes and stir 2 times 5 minutes per hour. Then stir for 30 minutes and then 5 minutes per hour all night.

Then carry out the lime treatment in a bath consisting of 100% water at 27 °C and 2% lime. Continue the treatment until expansion. Then shave by machine and wash for 30 minutes.

55 Then delime with a solution of:

Water at 37 °C	100%
Ammonium sulphate	1%
Ammonium chlorid	1%
Nonylphenol condensed with 10 moles of ethylene oxide	0.2%

Allow to react for 1 hour and then treat with 2% pancreatic proteinase (15 UW) for 30 minutes. Stop for one hour and turn on again for 1 hour. Then check that the deliming was total and wash for 1 hour with cold water.

Then proceed with the pickling process by means of a 30 minute treatment with the following solution:

Cold water	80%
Salt	6%
Fungicide	0.3%

Then incorporate 1.2% sodium hexamethaphosphate. Allow to react for 2 hours at pH 4.6 to 4.8. Verify the penetration of the acidity with bromocresol green, outer tan and inner bluish-green by continuing the operation. Then incorporate 8% quebracho sulphite extract and treat for 120 minutes.

Then check the total exhaustion and the minimal passage of the extract which should be 1/3. Unload and cut back by smoothing the thickness. If smoothing is not desired, unload, allow to rest during the night and pass through the slowest tanning rammer.

Then clean with a solution consisting of 100% water at 30 °C and 0.3% sequestering agent (ethylenediaminetetracetic acid) allowing to react for 15 minutes.

Then proceed with the tanning in the same bath by incorporating formic acid until pH 4.8, if necessary, 0.2% lubricating agent and 10% tinctorial tanning extract. Allow to react for 90 minutes. Then oil in the same bath with 5% phosphated oil and 2% sulphonated oil. Allow to react for 60 minutes and then incorporate the formic acid until obtaining a pH between 4.2 and 4.4. Then leave the treatment for 20 minutes. Treat for 90 to 120 minutes with 0.2% lubricating agent and 15% tinctorial tanning extract. Then check the total passage of the extract through the hide and the exhaustion of the bath. The operation continues for another 60 minutes.

Then wash once or twice with 200% acidified water at pH 3.8 until perfectly clean.

When the hides are intended for sale by weight, they are dyed but not oiled, left to rest and covered for 24 hours, then drained and loaded with 1% magnesium sulphate and glucose, kept dry for 30 minutes and treated with 1% phosphated oil, 1% raw neat's foot oil and 10% water at 40°C. Continue the operation until absorption.

B - Vegetable Tanning of Sheep

Begin with sleeked off hides and carry out the pickling process and the pre-tanning by treating with the following solution:

Cold water	100%
Salt	5%
Sodium hexamethaphosphate	1%

Allow to react for 60 minutes and then treat with 5% tinctorial extract for 15 minutes and then again with 5% tinctorial extract for 60 minutes. Then check if the extract penetrated 2/3 of the thickness of the hide. Then drain and rinse with 10% cold water at pH 4 for 10 minutes. Unload, allow to rest and trim to one tenth less than the final thickness.

Then wash with 200% water at 30 °C and 0.05% sequestering agent for 20 minutes. Carry out the oiling. After draining, add 100% water at 40 °C, 4 to 6% phosphated oil and 1 to 2% sulphochlorinated oil and allow to react for 30 minutes.

Continue the process by the retanning stage in the same bath with a 10% tinctorial extract. Allow to react for 30 minutes and then for 60 minutes also adding 10% tinctorial extract.

Then check the exhaustion and the total passage. If this is not the case, continue to turn. Then treat with formic acid until pH 3.8 for 15 minutes. Wash with 100% water at 30 °C and pH 3.8 and 1 to 2% cationic agent for 20 minutes. Unload and allow to rest for 12 hours while covered and dry according to the destination.

5 C - Vegetable Tanning of Pigskin for Shoes

The hides are soaked without stirring with a quantity of water 400% of the dry weight for 5 hours. They are then treated with a solution consisting of:

10

Water	400%
Sodium polysulphide	2%
Moistener	0.3%

15

for 14 hours. Then incorporate 0.01% fungicide. Complete soaking, wash and shave.

Then scrape off the hair using a solution consisting of:

20

Water at 27 °C	80%
Sodium sulphide at 60 °C	3%

This treatment should take 20 minutes. Then treat with 3% lime stirring for 30 minutes. Stop for 60 minutes. Repeat the operation 4 or 5 times. Then check the destruction of the hair and continue the operation when dry for 1 hour (grain).

25

Then proceed with the lime treatment using:

Water at 27 °C	20%
Lime	3%

30

Continue the treatment for 4 hours and then stop for 1 hour. Then stir 5 times per hour for another 12 hours. Then wash, unload and shave the hides according to the grain. If necessary, clean on a frame.

Then wash with water at 37 °C for 30 minutes and delime treating with:

35

Water at 37 °C	100%
Ammonium sulphate	1%
Ammonium chloride	1%
Ethoxylated nonylphenol	0.5%

40

This treatment should last 45 minutes.

Then drain in the same bath treating with 0.04% pancreatic proteinase (15 UW) for 45 minutes and then check the total deliming. Then wash for 30 minutes.

45

Then pickle with the following treatment:

Cold water	80%
Salt	6%

50

Allow to act for 10 minutes and then treat with 1.2% sodium hexamethaphosphate for 90 minutes at pH 4.2 to 4.6. Then treat with 5% tinctorial tanning extract for 60 to 90 minutes. Continue the treatment until total exhaustion and 1/3 passage through the hide. Unload and trim to one tenth less than the desired thickness.

For retanning, first remove stains with a treatment consisting of the following solution:

55

Water at 30 °C	100%
Ethylenediamine-tetraacetic acid (sequestering agent)	0.3%
Ethoxylated nonylphenol	0.2%

Allow to act for 30 minutes and then drain and wash. Then oil with the following treatment:

Water at 30 °C	100%
Phosphated oil	3%
Sulphonated oil	1%

Carry out the treatment for 40 minutes and then incorporate formic acid until a pH of 4.6 to 4.8 is obtained. Continue the treatment for 10 minutes.

Then wash with acidified water at pH 4, unload and allow to rest for 24 hours. Dry and continue according to the rules of the art.

D - Vegetable Tanning for Shoe Tips

Begin with delimed, sleeked off and washed hides according to the rules of the art.

Pickle using the following treatment:

Cold water	100%
Salt	6%
Sodium hexamethaphosphate	1%

Treat for 60 to 90 minutes until penetration of 2/3 of the thickness of the hide.

Then pre-tan in the same bath by treating with 5% tinctorial extract for 30 minutes and then with 5% of the same type of extract for 90 to 120 minutes with a 2/3 penetration in the hide. Unload, allow to rest while covered for 24 hours, drain and trim to 2 tenths below the desired thickness.

Then remove the spots by treating with the following solution:

Water at 30 °C	100%
Oxalic acid	0.3%
Ethoxylated nonylphenol	0.2%

Allow to act for 30 minutes and then drain. Wash with 200% water at pH 4.6 and drain.

Water at 30 °C	100%
Phosphated oil	4%
Sulphochlorinated oil	2%
Neel's foot oil	1%

The treatment takes 40 minutes. After, treat with 0.1% formic acid at pH 4.6 to 4.8 for 10 minutes and finally with 0.2% of a lubricating product.

The tanning is carried out in the same bath. Treat with 10% of the aforementioned extract for 30 minutes. Check the total and regular passage at pH 3.8 and treat with 0.3% formic acid. Then wash with 200% water at 30 °C and pH 3.8. Wash again if necessary.

Then oil the surface with:

Water at 37 °C and pH 3.8	100%
Phosphated oil	1%

5 The treatment lasts for 15 minutes. Unload and continue according to the rules of the art.

E - Leather with Backing

10 Begin with pre-tanned leather trimmed to 1 to 1.5 tenths less than the final thickness.
Carry out a treatment to remove the spots with:

Water at 30 °C	150%
Ethylene diamine-tetracetic acid (sequestering agent)	0.3%
Ethoxylated nonylphenol	0.2%

15 for 30 minutes. Then drain and wash for 10 minutes with 200% water at 30 °C and pH 4.8.
Then oil treating with:

Water at 30 °C	100%
Phosphated oil	1.5%
Sulphochlorinated oil	1.5%
Glutaric aldehyde	0.5%

20 Then retan in the same bath with the following treatment:

Lubricant	0.1%
Tinctorial extract	10%

25 Maintain the treatment for 60 to 90 minutes. Check that the exhaustion is total and rinse once or twice with water at 30°C and pH 3.8.

30 Finally oil the surface by treating for 5 minutes with 100% water and then with 1.5% polyethyleneglycol oleate 400 for 20 minutes. Unload and continue according to the rules of the art.

F - Leather "Softing"

40 Begin the same removal of spots washing as indicated in example E for the backed leather.
Then carry out an oiling treatment using:

Water at 30 °C	100%
Phosphated oil	4%
Sulphochlorinated oil	2%
Neet's foot oil	1%
Suphited oil	1%
Cold water	2%

45 Continue the treatment for 40 minutes and then continue as in the previous example.

55 G - Quick S I Tanning with Tinctorial Extracts

Begin with hides with hair without reliming, shaving and recutting.

Wash for 30 minutes with water at 37 °C. Then delime treating with:

Water at 37 °C	150%
Ammonium sulphate	1%
Ammonium chloride	1%
Ethoxylated nonylphenol	0.3%

This treatment is carried out for one hour. Then treat with 0.8% fungal proteinase (400 UW) for 1 hour, stop for 1 hour and treat for 30 minutes with 0.5% sodium bisulphite. Then check the total deliming. Wash until pH 7, drain in the rammer itself and add 0.2 to 0.3% formic acid or sodium bisulphite. Treat for 15 minutes and check that the pH is not under 5.5. Drain again if necessary.

Then treat with:

Tinctorial extract	5%
Sodium sulphate	6%

Treat for 15 minutes and then treat for 60 to 90 minutes with 7% tinctorial extract. Then check that the bath is exhausted at a temperature which does not exceed 30 °C. Unload and allow to rest on frames, extended and covered for 24 to 48 hours.

Then carry out the tanning in the rammer with:

Tinctorial extract solution (12 °Be)	150%
Tinctorial extract	10%

The treatment lasts for 1 hour. Then treat for 2 hours with:

Tinctorial extract	10%
Sulphited fish oil	1%

Then continue treating with:

Tinctorial extract	5%
Lubricant	0.1%
Tinctorial extract	5%

Then maintain at a temperature of about 30 °C for approximately 10 hours. Open the rammer, leave the door open and allow to rest for 5 hours in this position;

Then carry out a treatment with:

Fungicide	0.3%
Water	2%

and check that the pH is between 4 and 4.2. Continue the operation until reaching 12 °Be and a maximum temperature of 34 °C. The time for tanning is 24 to 36 hours.

Then carry out an unloading wash for 10 to 15 minutes with 100% chlorinated solution at 6 °Be of tinctorial extract, unload, drain and equalize the thickness if desired.

Then carry out the bleaching and the dry loading by treating for 15 minutes with:

Ethylenediamine-tetraacetic acid (sequestering agent)	0.3%
Water	2%

Then treat for 40 minutes with:

Cellulos sulphite	2%
Magnesium sulphate	0.5%

Finally treat with:

Sulphited oil	2%
Fungicide	0.02%
Water	2%

Allow to operate until total absorption, unload and continue according to the rules of the art.

An Assessment Table for the physico-chemical results obtained without moisture, with an already familiar rapid system and according to the present invention follows.

PHYSICAL TESTS

TANNING

Rapid syst. Invention
(known) syst.

5			
	Tensile strength (IRAM 8511)		
10	a) thickness (mm)	5.9	5.3
	b) Tensile strength MPA	28.4	31.3
	Water absorption (kubleka) (IRAM-8507)		
	a) 1 hour (%)	26	36
15	b) 24 hours (%)	47	50
	Flexional strength of the grain (IRAM 8553)		
20	a) thickness (mm)	5.7	4.8
	b) Tear index	37	32
	Chemical analyses		
	Volatile matter (moisture, etc.)		
25	(IRAM 8502) (%)	17.4	18.1
	Substances soluble in dichloroethan Cl_2CH_2 (IRAM 8503) (%) (1)	3.5	2.4
30	Organic or mineral substances soluble in water (IRAM 8505) (%) (1)	25.7	26.1
	Organic substances soluble in water (IRAM 8505) (%) (1)	21.3	20.2
35	Total sulphated ash (IRAM 8504) (%) (1)	5.7	8.0
	Sulphated ash of solubles in water (IRAM 8505)	4.4	5.9
40	Dermic substance (IRAM 8506) (%) (1)	45.8	45.7
	Combined organic substances (IRAM 8501) (%) (1)	23.7	23.7
45	Degree of tanning (IRAM 8501)	52	52
	pH of the aqueous extract of the leather (IRAM 8508)	5.0	5.1

50

Claims

- 55 1. Compositions to simultaneously tan and dye hides, characterized by the fact that they contain at least one tanning compound able to form chromophore groups consisting of at least one member of the group including:
- natural pyrocatechic derivatives of quebracho, mimosa, acacia and their tannic acids;
 - natural pyrogalllic derivatives of tara, carob and their tannic acids;

naphthalene sulphonic acid condensed with formaldehyde;
 naphthalene sulphonic acid;
 phenolsulphonic acid;
 phenolsulphonic acid condensed with formaldehyde;
 gallic acid;

and at least one coupler able to develop with the chromophore groups of the compound tanning the final colour, this coupler belonging to the group including:

triphenyl-methano-sulphonic acid;
 aniline;
 p-amino-aceto-aniline;
 urea-1 acid;
 p-amino-salicylic acid;
 di-nitro-styrene-sulphonic acid;
 p-sulphanilic acid;
 p-nitro-aniline
 phenolsulphonic acid;
 benzidine H;
 benzaldehyde;
 N,N dimethyl-aniline;
 o-dianisidine CH-CH.

2. Compositions to simultaneously tan and dye hides according to claim 1 characterized by the fact that the tanning compounds are respectively found within the following percentage weight limits:

the natural pyrocatechic derivatives of quebracho, mimosa, acacia and their tannic acids	40 to 95%
the natural pyrogalllic derivatives of tara, carob and their tannic acids	40 to 95%
naphthalene sulphonic acid condensed with formaldehyde	3 to 19%
naphthalene sulphonic acid	4 to 25%
phenolsulphonic acid	10 to 15%
phenolsulphonic acid condensed with formaldehyde	3 to 15%
gallic acid	5 to 10%

the abovementioned tanning compounds and their weight percentages chosen so that the sum of the weight percentages of all of the compounds in the composition equals 100%.

3. Compositions to simultaneously tan and dye hides according to claim 1, characterized by the fact that couplers are present, respectively within the following weight percentage limits:

5	triph nyl-methano-sulphonic acid	0.3 to 1.5%
	aniline	0.5 to 9%
	p-amino-aceto-anilin	0.01 to 1.5%
	urea-1 acid	3 to 9%
	p-amino-salicylic acid	2 to 7%
10	di-nitro-styrene-sulphonic acid	1 to 2%
	p-sulphanilic acid	0.02 to 9%
	p-nitro-aniline	0.2 to 10%
15	phenolsulphonic acid	0.01 to 8%
	benzidine H	0.03 to 6%
	benzaldehyde	1 to 7%
20	N,N dimethyl-aniline	1 to 11%
	o-dianisidine CH-CH	0.5 to 4%

the abovementioned couplers and their weight percentages being chosen so that the sum of the weight percentages of all of the compounds found in the composition equals 100%.

4. Compositions to simultaneously tan and dye hides according to claim 1, characterized by the fact that the components providing finishing belong to the group formed by:

trinitrile-pentaacetate of aluminium, copper, iron and/or zinc;
ethylenediamine-tetraacetic acid and its iron, copper and aluminium salts;
double oxalate of titanium and potassium;
aluminium, iron (II) and copper (II) sulphates;
diethylenetriamine-pentaacetate of zinc or aluminium.

5. Compositions to simultaneously tan and dye hides according to claim 4, characterized by the fact the the componants providing the finishing are respectively present within the following weight percentage limits:

trinitrile-pentaacetate of aluminium, copper, iron and/or zinc	0.01 to 2%
ethylenediamine-tetraacetic acid and its iron, copper and aluminium salts	0.07 to 2%
double oxalate of titanium and potassium	1 to 7%
aluminium, iron (II) and copper (II) sulphates	1 to 6%
diethylenetriamine-pentaacetate of zinc or aluminium	0.01 to 3%

the abovementioned compounds providing finishing and their percentages being chosen so that the sum of the weight percentages of all of the compounds found in the composition equals 100%.

6. Compositions to simultaneously tan and dye hides according to claim 1, characterized by the fact that the color complexing agents belong to the group formed by:

Orang II;
Bismarck brown;
EW black (Direct black 38);

Victoria blue (Direct blue 12);
 R red (Acid red 82);
 Auramine;
 Malachite green.

5

7. Compositions to simultaneously tan and dye hides according to claim 6, characterized by the fact that the colour complexing agents are respectively found within the following weight percentage limits:

10

15

Orange II	0.01 to 0.3%
Bismarck brown	0.1 to 0.5%
EW black (Direct black 38)	0.5 to 3%
Victoria blue (Direct blue 12)	0.01 to 3%
R red (Acid red 85)	0.2 to 1%
Auramine	0.02 to 0.2%
Malachite green	0.02 to 0.2%

20

the abovementioned colour complexing agents and their percentages being chosen so that the sum of the weight percentages of all of the compounds found in the composition equals 100%.

8. Compositions to simultaneously tan and dye hides according to claim 1, characterized by the fact the the oxidizing agents are chosen from the group formed by:

25

potassium perchlorate;
 potassium chlorate;
 hydrogen peroxide;
 sodium chlorate.

30

9. Compositions to simultaneously tan and dye hides according to claim 8, characterized by the fact that the oxidizing agents are respectively found within the following weight percentage limits:

35

potassium perchlorate	0.02 to 5%
potassium chlorate	0.08 to 2%
hydrogen peroxide	1 to 6%
sodium chlorate	0.02 to 5%

40

the abovementioned oxidizing agents and their percentages being chosen so that the sum of the weight percentages of all of the compounds found in the composition equals 100%.

10. Compositions to simultaneously tan and dye hides according to claim 1, characterized by the fact that the auxiliary compounds are chosen from the group formed by:

45

50

55

sodium phosphates and polyphosphates;
 bichromate of sodium or potassium dichromate;
 oxalic acid;
 double oxalate of titanium and potassium;
 potassium acetate;
 triethanolamine;
 sodium acetate;
 sodium bisulphite;
 sodium sulphite;
 sodium hydroxide;
 potassium hydroxide;
 sodium hydroxid ;
 picric acid;

beta-naphthol;
 zinc sulphate;
 iron (III) chloride;
 ferrous acetate;
 5 formaldehyde;
 sodium nitrite;
 sodium acid sulphate;
 boric acid;
 10 hydrochloric acid.

11. Compositions to simultaneously tan and dye hides according to claim 10, characterized by the fact that the auxilliary compounds are respectively found within the following weight percentage limits:

15	sodium phosphates and polyphosphates	1 to 5%
	bichromate of sodium or potassium dichlorate	3 to 5%
	oxalic acid	1 to 2%
	double oxalate of titanium and potassium	0.3 to 1%
20	potassium acetate	5 to 20%
	triethanolamine	1 to 3%
25	sodium acetate	5 to 20%
	sodium bisulphite	1 to 15%
	sodium sulphite	1 to 3%
30	sodium hydroxide	2 to 6%
	potassium hydroxide	2 to 6%
	ammonium hydroxide	3 to 7%
	picric acid	0.5 to 3%
35	beta-naphthol	1 to 6%
	zinc sulphate	0.2 to 2%
	iron (III) chloride	3 to 15%
40	ferrous acetate	3 to 5%
	formaldehyde	3 to 9%
	sodium nitrite	1 to 5%
45	sodium acid sulphate	5 to 30%
	boric acid	2 to 3%
	hydrochloric acid	2 to 5%

50 the abovementioned auxilliary compounds and their weight percentages being chosen so that the sum of the weight percentages of all of the compounds found in the composition equals 100%.

12. Process for the production of the compositions to simultaneously tan and dye hides according to claim 1, characterized by the fact that it includes the treatment of an aqueous solution of a tanning compound according to the definition provided above with the derivatives of naphthalene sulphonic acid condensed with formaldehyde and not condensed; the addition of substances with the nitro, azo, nitrous, azoxy, carbonic and/or quinoid groups in their molecule; the oxidation, if necessary, of these groups by means of the incorporation of air and pressure; the coupling of the chromophore base obtained by the addition

of at least one of the couplers defined above; the optional incorporation of auxochrome, carboxyl, hydroxy and amine auxiliary compounds; the solubilization of the tanning-dyeing extract obtained by sulfitation with the sulphite of soda, bisulphite of soda and/or sulphuric acid; the concentration of the product obtained with approximately 50% solids; the fact of graduating, if necessary, with complex metal salts and/or colouring agents; the standardization and drying of the final composition obtained.

13. Process according to claim 12, characterized by the fact that the aqueous solution of the tanning compound is 6°Be and that it is cooled to not more than 5 °C.
14. Process according to claims 12 and 13, characterized by the fact that the substances with nitro, azo, nitrous, azoxy, carbonic and/or quinoid groups are added at a pressure above that of atmospheric pressure.
15. Process according to claim 12, characterized by the fact that coupling takes place at a temperature of 10 °C to 15 °C.
16. Process according to claim 12, characterized by the fact that the concentration of the product obtained with up to approximately 50% solids is carried out under a vacuum and at a temperature of 10 °C.
17. Process according to claim 12, characterized by the fact that the final drying of the composition obtained is carried out by passage in a drying chamber by spraying with an admission temperature of 220 °C and an outlet temperature of 90 °C to 95 °C.



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

which under Rule 45 of the European Patent Convention
shall be considered, for the purposes of subsequent
proceedings, as the European search report

Application Number

EP 92 40 2905

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 5)
X	FR-A-2 116 100 (SANDOZ S.A.) * Page 4, lines 29-31; page 14, lines 1-13; example 1; claims 1-5, 10-13 *	1-3	C 14 C 3/08 D 06 P 3/32 C 14 C 3/20 C 14 C 3/10 D 06 P 1/34
A	EP-A-0 019 846 (BAYER AG) -----	1-3, 12	
			TECHNICAL FIELDS SEARCHED (Int. Cl. 5)
			C 14 C D 06 P
INCOMPLETE SEARCH			
<p>The Search Division considers that the present European patent application does not comply with the provisions of the European Patent Convention to such an extent that it is not possible to carry out a meaningful search into the state of the art on the basis of some of the claims</p> <p>Claims searched completely : Claims searched incompletely : Claims not searched : Reason for the limitation of the search:</p> <p>See sheet -C-</p>			
Place of search THE HAGUE		Date of completion of the search 02-03-1993	Examiner CATURLA VICENTE V I
CATEGORY OF CITED DOCUMENTS		<p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>& : member of the same patent family, corresponding document</p>	
<p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p>			

EPO FORM 1503 (03.82) (P0407)



EP 92 40 2905 -C-

INCOMPLETE SEARCH

Claims searched completely : 1-3,12-17
Claims not searched : 4-11

Reason : Claim 4 to claim 11 are not consistent with previous claims. There is no mention of these compounds in the first claim and it is not clear from the description what they mean by "finishing" in claim 4 since this process in the leather field usually means something different.